

the polymer chain selected from:  $(CF_2CF_2O)$ ,  $(CFYO)$  wherein Y is equal to F or  $CF_3$ ,  $(C_3F_6O)$ ;  $(CF_2(CF_2)_zO)$  wherein z is an integer equal to 2 or 3;  $(CF_2CF(OR_f)O)$ ,  $(CF(OR_f)O)$  wherein  $R_f$  is equal to  $-CF_3$ ,  $-C_2F_5$ ,  $-C_3F_7$ ;  $CR_4R_5CF_2CF_2O$  wherein  $R_4$  and  $R_5$  are equal to or different from each other and selected between Cl or perfluoroalkyl, preferably having 1-4 carbon atoms.

6. (Amended) A method according to claim 1, wherein the value  $K^1$  is higher than 2.00 and preferably in the range of 2.00-3.00.

7. (Amended) A method according to claim 1, wherein the perfluoropolyether component B) preferably has the following structure:

T' - O - R<sub>f</sub> - T''

wherein:

$R_f$  has the above meaning;

T' and T'', equal to or different, are selected from -CF<sub>3</sub>, -C<sub>2</sub>F<sub>5</sub>, -C<sub>3</sub>F<sub>7</sub>.

9. (Amended) A method according to claim 1, wherein the amount of additive A in the compositions is lower than or equal to 0.1% by weight, preferably lower than 0.05% with respect to the total weight of the composition.

10. (Amended) A composition according to claim 1.